

IPCommute

Phone Operations Manager

Release Notes

Version 5.0.110

Oct 19 2014

Table of Contents

Revision/Feature History.....3
Compatibility.....3
Known Issues.....3
Feature Roadmap.....4

Revision/Feature History

1.1.100	Initial Version
1.2.100	<p>Added some keyboard (0-9*# and Cursors) to Phone Remote</p> <p>Task Feedback in Phone Remote</p> <p>Minor GUI Improvements</p> <p>Ability to change HTTP server TCP Port</p> <p>Dynamic Context Menus – hides unavailable actions</p> <p>Logging Improvements</p> <p>Ability to export Screen Shots from phones</p>
1.2.200	<p>Automatic Phone Device Association Management</p> <p>Support Cycle Management</p> <p>Switch to non-Matisse GUI development for cross-platform compatibility</p> <p>Multi-Node RIS Queries – Optimisation for Large Clusters</p>
1.2.300	Bug Fixes
1.2.400	<p>CUCM Permissions requirement simplification</p> <p>Bug Fixes</p>
5.0.100	New Licensing subsystem
5.0.105	Bug Fixes (New user setups; proxies)
5.0.110	<p>Cisco 8945 Image Push support</p> <p>Cisco 8831 Support</p> <p>License management/migration improvements</p>

Compatibility

This software has been tested against CallManager 6.1 through to the current release – Communications Manager 9.1 (hereafter referred to as CUCM collectively). Some features are not available in older versions and many rely on phone firmware features and may require upgrades or configuration changes on CUCM. Known limitations are:

Background Deployment – 'Push' Deployment is available from Communications Manager 6.1 with phone models that support the capability, and requires up-to-date firmware.

Clear ITL – The feature is only required, and only works on phone loads supporting ITL that have been used on a CUCM8 system. Currently, the clear ITL function operates only on phones that are able to access the authentication URL on CUCM.

Known Issues

Linux/MAC Issues – Currently some GUI elements do not display well in non-Windows environments. Additionally the application is not currently tested on non-Windows platforms, or with non-Sun/Oracle JDEs. The application is therefore only supported on Windows; use on other platforms at your own risk and we are unable to provide support for issues encountered.

Feature Roadmap

Expected Release/Timeline	Description
6.0	More comprehensive EM cluster data and inventory data model
6.0	Cross Platform (Linux and Mac) Support
6.0	CUCM 10.x Support
7.0	CTI-based Remote Control
7.0	'Listen-In' Remote Control Function
7.0	Improved text/graphical phone messaging
7.0	User-defined 'Phone Groups' for messaging and other functions
TBC	Non-AXL Mode; Reduced data functionality whilst maintaining other functions with fewer cluster permissions required. Primarily for hosted CUCM customers.

Any feature requests should be directed to info@ipcommute.co.uk